Subject index

A

ACh receptor channels 401
ACH-induced current 401
Acetazolamide 178, 291
Acetylcholine 27, 209, 401
Acetylsalicyclic acid 565
Acid-base regulation 267
Acidification 321
Action potential(s) 112, 146
Activation 619
5'Adenylyl-imidodiphosphate (AMP-PNP) 465
Adenosine, 5'-triphosphate (ATP) 628
ADH 328
Adrenal chromaffin cell 401
– cortex 351
Adrenaline-induced long-term potentiation 573
α-Adrenergic receptors 224
α_2-Adrenoceptor antagonist 628
β-Adrenoceptor 465
β-Adrenoceptor blocker 628
Age 224, 543
Alcalosis 239
Aldosterone 609
– liberation 185
Aliphatic dicarboxylic acids 38
4-Aminopyridine 207
Amiloride 178, 185, 243, 432, 505
Amino acid transport 519
Ammonium ions 204
α-Aminoisobutyric acid 519
Anaesthesia-induced aldosterone liberation 185
Anion transporter 484
Anisomycin 414
Antidiuretic hormone 129
Antipyretic response 414
Aorta 417
Aortic smooth muscle 343
Apamin 10
Apical membranes 282
– Na^+-channels 215
Arterial constriction 239
Ascending limb of Henle's loop 484
ATP 133, 465
– hydrolysis rate 1
ATP-analogues 133
ATPase activity 578
ATP-dependent K^+ channel 133
Atrial cells 540
– natriuretic peptide 124, 366
– – – analogues 356
– – – receptors 356
Atropine 173
Autonomic nervous control 173

B

Ba^{2+} effect 600
Barium 373, 408, 432
– ions 373
Basolateral membrane 220, 497
Beta-1-adrenoceptor blocking agent, atenolol 124
Black lipid membrane reconstitution 275
Bohr effect interaction 451
Bone 395
Bradykinin 408
Brown adipose tissue 534
Brush border 220, 515
Buffer power 386
Bumetanide 178, 275
Burst length 307

C

C fibers 444
Ca current 112
Ca dependent K channels 10
Ca-activation 249
Ca-free medium 153
Ca-free solution 146
Ca^{2+}-activated K^+ channels 98
Ca^{2+} antagonists 552, 558
Ca^{2+} channel(s) 80, 465, 552, 646
Ca^{2+} currents 417
Ca^{2+} ionophore A 23187 231
Ca^{2+}-channel current 351
Ca^{2+}-dependent inactivation 83
Calcitonin 395
Calcium 27
– binding sites 153
– channel blockers 474
– channels 167
– concentration 32
– current(s) 540, 634
– ion concentration 63
– ionophore 315, 318
– paradox 458
– sensitivity 63
– transport 231
Calcium-channel blockers 146
Calmodulin inhibitor W7 379
Calmodulin-like proteins 379
Carbon dioxide 120
Carbonic anhydrase 291
Cardiac cycle 160
– muscarinic effects 167
– muscle 578
– myocytes 315, 318, 390
– Purkinje fibres 18
Carotid artery 139
Catecholamines 224
Cationic channel 534
Cations 146
Cecum 515
Cell culture 282
– fusion 291
– heterogeneity 600
– in culture 401
– membrane 80, 458
– – potential 408, 432
– membranes 505
Cell-to-cell coupling 531
Central thermoregulatory mechanism 73
Cerebral arteries 239
Cerebrospinal fluid 267
Cesium ions 401
Channel(s) 215, 307
– block by CS ions 401
– kinetics 249
Chloride channel blocker(s) 54, 511
– conductance 432, 511
– ions 267
Cholinechloride 458
Cholinergic receptors 167
Choroid plexus 260, 267, 275
Circular muscle 10
Citrate 38
$Cl\text{-}HCO_3$ antiport 178
Cl^- conductance 600
Cl^- transport 484
Cl^--transport 275
CO_2 Bohr effect 451
Collagenase 318
Collecting duct 479
Colon 592
–, ion transport 592
Communicating junctions 379
Contractile behaviour 204
– response 112
Contraction 146, 153
– kinetics 373
Contracture 224
Contralateral effects 444
Cornea 243
Corticosteroid metabolism 46
Corticosterone 46
Cortisol 328
Cotransport system 321
Crayfish neuromuscular junction 300
– septate axons 379
Crossbridge kinetics 1, 578
Cross-linker 484
Cs^+ 465
Cultured cells 534
– vascular smooth muscle cells 417
Current density 634
Current-voltage relation 537
Cutaneous denervation 73
Cyclic AMP 167, 465, 573
– nucleotides 379
Cystic fibrosis sweat ducts 505
cAMP 366
cAMP-dependent protein kinase 328
^{45}Ca efflux 343
cGMP 366

D

D(−)3-Hydroxybutyrate cotransport 321
D600 80
Decay of synaptic currents 307
Denervation 146, 153
Depolarization-contraction coupling 146
Desensitization 573
Desert rodent 129
D-Glucose transport 220
1,25-Dihydroxycholecalciferol 395
Diacylglycerol 27
Diaphragm 642
Diaphragmatic electromyogram 642
Diffusion potential 484
Diffusive permeability coefficients 209
Digital image capture 615
Diltiazem 552
Diluting segment 291, 600
Distal nephron of frog kidney 609
– tubules 291
Diuretics 54

Divalent cations (Co^{2+}, Cd^{2+}, Mn^{2+}, Mg^{2+}, Ni^{2+}, or Ba^{2+}) 146
Dorsal medullary nuclei 619

E
Early proximal colon 592
EGTA 458, 465
Ehrlich ascites tumor cells 432
Electric stimulation 474
Electrical potential 321
Electrodiffusion 260, 267, 275
Electrodiffusive K^+ transport 260
Electrogenic pump current 537
Electron microscopy 515
Electrophysiology 531
EMG 642
Endurance exercise 333
– training 543
Enterocytes 220, 515
Enzyme kinetics 46
– treatment 300
Enzymes of energy metabolism 543
Epinephrine 584
Epithelia 260, 267, 505
– membranes 275
Erythrocyte 524
Ethanediol 209
Event-related cross-correlation 196
Exponential process 1
Extracellular space 420

F
Face skin 73
Fast and slow calcium currents 646
Fasting 68
Fast-twitch muscle 338, 444
Fatigue 642
Fever 414
Fibre death 338
– transformation 543
– type(s) 338, 386
– – composition 333
Fibrin glue 315, 318
Fixed acid Bohr effect 451
Fluid reabsorption 615
Forskolin 209
Frog gastric fundus 497
– skin 215
Furosemide 178, 275, 438

G
Gastric fundus 497
Glomeruli 356, 366
Glomerulosa cell of adrenal cortex 351
Glutamate-gated synaptic channels 300, 307
Glutaraldehyde 484
– fixation 479
Glutarate 38
Glycerinated cardiac muscle 578
Glycerol transport 491
Glycogen depletion 338
Guanine nucleotide binding proteins 167

H
H^+ transport 609
Halogen transport 484
HCO_3^- Cotransport 291
– transport 291
Heart 167, 540
– rate 173
– ventricle 458
Heart-blockade of cholinergic inhibition by pertussis toxin 167
Heat production 73
Henle's loop 600
High-conductance K^+ channel 282
Histochemistry 333
HPLC 46
Human sweat duct 511
5-Hydroxytryptamine 565
11β-Hydroxysteroid dehydrogenase activity 46
11β-Hydroxysteroid-dehydrogenase 46
Hyperalgesia 565
Hypertensive cerebral arteries 239
Hyperthyroid rabbit 578
Hypothalamic paraventricular nucleus 619
– thermosensitivity 73

I
Ileum 10, 32
Iliofibularis muscle 63
Image analysis 615
Indomethacin 408
Inhibitory junction potential 10
Inorganic phosphate 1
Intestinal epithelial cells 231
– sugar transport 220
– trakt 68
Intestine 80, 465, 552
Intracellular structures in Ca^{2+} buffering 231
– Ca^{2+} 249
– calcium concentration 32
– microelectrodes 408
– perfusion 80, 465
– pH 178, 386
– potassium activity 592
– sodium concentration 420
Intratubular pressure oscillations 438
Intraventricular protein synthesis 414
Ion transport 185, 592
Ionic currents 83, 465
Ion-sensitive microelectrodes 420
Isolated cardiac myocytes 315, 318
Isolated enterocytes 231
– frog sartorii 420
– smooth muscle cells 83
Isometric exercise 173
– tension development 315, 318
Isoproterenol 124
I-V curve analysis 194

J
Jenunum 515
Junctional conductance 531
Juxtamedullary nephrons 129

K
K^+ channel(s) 215, 249, 281
K^+ conductance 600
K^+ current(s) 133, 417, 558
K^+ depolarization 32
K^+ secretion 282
K^+ transport 260
K^+-electrodes 420
K^+-stimulation 351
K^+-transport 267, 275
K channel(s) 10, 423, 584
Kidney 129, 328, 615
– epithelioid cells 408
– in vitro 46
–, aldosterone 609
–, fused cells 291
–, heterogeneity of thick ascending limb 600
–, K channel 584
–, proximal tubule 438
–, tubular function 479, 484

L
Large intestine 185
Leaky epithelia 249, 260
– epithelium 267
LiCl 458
Life-time physical training 543
Lipid bilayers 275
Local anesthetics 18
Longitudinal muscle 10
Loop diuretics 54
– of Henle 54

M
Madin-Darby canine kidney cells 584
– – – epithelioid cells 408
Magnesium 133
– ions 628
Mammalian skeletal muscle 153
Mandibular gland 209
– salivary gland 178
Maxi K^+ channels 249
MDCK-cells 584
Mechanical properties 578
– responses 390
Medullary nuclei 619
Membrane Ca^{2+} interactions 153
– conductances 531
– current(s) 112, 552, 558
– permeability 491
– potential 239, 249, 351, 497
– – changes 531
– vesicles 220, 321
– voltage 282
Membranes 592
Mesenteric vasculature 68
Methazolamide 178
α-Methyl-D-glucoside 515
Microdissected glomeruli 356, 366
Microelectrode(s) 260, 267, 592
Microphotometry 338
Micropuncture 438, 615
Motor units 196
Muscarinic cholinergic effects 167
Muscle 1, 338, 386, 444
– balls 465
– contraction 63
– spindle afferents 196
– weight 333
Myocytes 318, 390
Myogenic activation 239
– tone 239
Myoglobin loss 458
Myosin light and heavy chains 444
– – chain phosphorylation 139, 474
– polymorphism 444

N

Na current 18
Na-free TEA containing solutions 153
Na-H antiport 178
Na-K-2Cl symport 178
Na-K-ATPase 129, 519
Na^+ absorption 282
Na^+ dependent rheogenic HCO_3^- transport 291
$Na^+2Cl^-K^+$ cotransporter 54
Na^+/HCO_3^- cotransporter 291
Na^+/H^+ exchange 609
Na^+/K^+ pump 537
NE-sensitive Ca store 343
Necturus maculosus 267
Nephron(s) 54, 356, 438
– microdissection 356
– segments 129, 366
Neurite outgrowth 634
Neuromuscular junction 27, 300, 307
Neurotensin 10
Neurotransmitter binding 307
NGF-induced cell growth 634
Nicardipine 552
Non-adrenergic non-cholinergic response 10
Non-electrolyte permeability 209
– transport 491
Non-selective cationic channel 534
Noradrenaline 628
Norepinephrine 112
Noxiustoxin 423
Nucleus tractus solitarius 619
Nystatin 215

O

O_2-Hb affinity 451
Ontogenesis 328
Oocytes 537
Osmolality 243
Osmolyte transport 185
Ouabain 178, 243, 432, 505
Oxalate 38
Oxidative capacity 333
2-Oxoglutarate 38
Oxyntic cells 497

P

PAH-transport 38
Pancreatic β-cells 133
Papillary collecting duct 479
Paraaminohippurate transporter 38
Parathyroid hormone 395
Passive K^+-permeability 215
Passive-Na^+ permeability 215
Patch clamp 249, 300, 534, 584
– – technique 282
– – experiments 194
– – technique 98
PC 12 cells 634
PC 12 growth cones 634
PCO_2 239
P_1-purinoceptor antagonist 628
Permeability 505
Permselectivity 484
Pertussis toxin 167
pH 239, 249
pH effect 600
Phloretin 479
Phorbol ester, 12-O-tetradecanoyl-phorbol-13-acetate 27
Phosphate effect 1
– homeostasis 395
– metabolism 395
Phospholipase D 153
Phosphorylation 474
Photoelectric recording 390
Physical training 543
Plantaris muscle 333
Plateau duration 18
Portal vein 80
Postnatal treatment 328
Post-spike hyperpolarization 207
Post-tetanic twitch depression 628
Potassium 537
– activity 592
– channels 167
– conductance 432
– current 207
– depolarization 318
– conductance 408
Potentiation 573
Preoptic thermosensitive neurons 120
Presynaptic modulation 628
Primary cultured cells 534
Principal cells 282
Procaine 215
Propranolol 173, 628
Prostacyclin 68
Prostaglandin E synthesis inhibitor 628
Prostaglandins 565
Protein kinase C 27
– synthesis inhibitor 414
Proximal tubule 531, 615
– – cell membranes 491
– – of rat kidney 38
Psoas muscle 1
Purkinje fibres 18

Q

Quantal transmitter release 27
Quin 2 32

R

Receptors 356, 565
Rectifying K channel 584
Rectum 185
Red cell aggregation 524
Reflection coefficient 209
Reinnervating rat plantaris muscle 333
Renal brush border membrane vesicles 321
– cortical collecting duct 282
– corticosteroid metabolism 46
– fluidreabsorption 615
– K^+ secretion 282
– PAH-transport 38
– tubular function 479, 484
– urea transport 491
Respiratory acidosis 451
– muscles 642
Rheogenic sodium bicarbonate cotransport 497
Ryanodine 343

S

Salivary gland 178, 209
Sarcoplasmic reticulum 343
Scorpion toxin 423
Secretion 178
Segmental heterogeneity 185
Semistarvation 68, 220
SITS 178, 291
Signal transmission 196
Single channels 300
– fiber analysis 444
– frog atrial 540
– nephron segment 129
– smooth muscle cell 112, 552, 558
Sinusoidal analysis 1
Skeletal muscle 146, 153, 224, 333, 338, 386, 444, 543, 646
Skin, face, trunk 73
Skinned fibers 1
Slow and fast skeletal muscle 543
– calcium currents 646
– inactivation 18
Small intestinal epithelial cells 231
– intestine 68, 552, 558
Smooth muscle 32, 204, 343, 373, 474, 628,
– – balls 465
– – cell membrane 80, 552, 558
– – cells 83, 98, 112, 417
– – mechanics 139
– muscles 10
Sodium 321, 458
– bicarbonate cotransport 497
– concentration 420
– conductance 432
– current 18
– transport 243
Sodium-dependent dicarboxylate transporter 38
Solvent-drag filtration coefficients 209
Soma growth 634
Spike train analysis 196
Spinal cord 207
Spironolactone 609
Split-drop micropuncture 615
Spontaneously hypertensive rats 395
Squid axon K^+ channel 423
Submandibular gland 519
Substance P 565
Succinate 38
Sugar transport 515
Sulfate 38
Sulfate-oxalate transporter 38
Superfusion chamber 318
Superior vena cava 160
Swan-Ganz catheter 642
Sweat duct(s) 505, 511
Sympathetic ganglia 573
– preganglionic neuron 207
Synaptic channels 300

T

TEA^+ 465
Temperature 139, 524
– dependence 534
– regulation 73
Tension 343
– recording 315
– transient(s) 1, 578
Testicular polymodal receptors 565
Tetraethylammonium compounds 474
Thermosensitive neurons 120
Thermosensitivity 73
Thick ascending limb of loop of Henle 54

Thromboxane A_2 68
Thyroxine 578
Tight junctions 505
Torasemide 54
Tracer efflux 491
Tracheal smooth muscle 373, 474
Transepithelial resistance 215
– voltage 185
Transient outward current 207
Transmicroscopic photometry 390
Transmitter release 573
Transmural pressure 160, 239
Triiodothyronine 519
Trivalent cations (La^{3+}, Gd^{3+}) 153
Trunk skin 73
TTX 83
TTX-sensitive currents 18
Tubules 356
Tubuloglomerular feedback 438

U

Upper colon 185
^{D} Uptake 220
Urea channel 479
– transport 491

V

Vagotomized rabbit 124
Vagus nerve 619
Valinomycin-treated membranes 321
Vas deferens 112, 628
Vascular smooth muscle 139, 204
– – – cells 417
Vasopressin 124, 129
Vasopressin-stimulated water pathways 479
Vena cava 160
Venous distensibility 160
– pressure 160
Verapamil 408, 552
Visceral nociceptor 565
Viscosity 524
Voltage clamp 112, 390, 401, 423
– – technique 80, 83
– dependent calcium currents 634
Voltage-dependent K^+ current 558
Voltage-stepper device 194

W

Water channel 479
– intake 129
– transport 185
Whole cell voltage clamp 401, 465
Whole-cell recording 351

X

Xanthine-xanthine oxidase system 204
Xenopus laevis 63, 386
– oocytes 537

Z

Zona glomerulosa cells 351